

# MATERIAL SAFETY DATA SHEET

MSDS Date: April 28, 2008

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Products Name:** Valentino Topcoats  
**Manufacturer:** Omega Products International, Inc  
P.O. Box 77220  
Corona, CA 92877-0107  
**Factory Phone Number:** 951-737-7447  
**Information Phone Number:** 800-600-6634  
**Emergency Phone Number:** 800-600-6634  
**Chemical Name or Synonym:** NA  
**Product Use:** Plaster

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Ingredients</u>	<u>%</u>	<u>ACGTH-TLV</u>	<u>OSHA-PEL</u>	<u>CAS No.</u>
Naphtha (Petroleum) Heavy Alkylale	57	100 ppm	500 ppm	64741-65-7
Refined Wax	23	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	64742434
Microcrystalline Wax	8			N/A

## 3. HAZARDS IDENTIFICATION

**Acute:** Oral: >25 ML/Kg (Rat)

**Dermal:** >5ML/Kg (Rabbit)

**Chronic:** Not Determined

**Signs & Symptoms of Exposure:** High vapor concentration may result in CNS depression. Wax medium is expected to be slightly irritating to the skin. Prolonged or repeated contact can result in defatting and drying of skin. Wax is expected to be nonirritating to eyes. Ingestion of product may result in vomiting; Aspiration (breathing) of vomitus into lungs must be avoided as even small quantities may result in aspiration pneumonitis.

**Medical Conditions Aggravated:** Eczema

**Is chemical listed as Potential or Suspected Cancer Agent?** No

## 4. FIRST AID MEASURES

**First Aid for Inhalation:** Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention.

**First Aid for Eyes:** Flush eye with clean water for 15 minutes while holding eyelid open. Remove contact lenses if worn. See a doctor for treatment.

**First Aid for Skin:** Remove contaminated clothing/shoes. Flush skin with water. Follow by washing with soap and water. If irritation occurs, get medical attention. Clean clothing before reuse.

**First Aid for Ingestion:** DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into the lungs. Get medical attention.

---

## 5. FIRE FIGHTING MEASURES

**Flash Point:** 210°F

**Auto Ignition:** 165°F

**LEL/UEL %:** N/A

**Extinguishing Media:** Foam, Carbon Dioxide or smothering

**Special Fire Procedures:** In case of fire, smother flames and turn off any heat source. ***DO NOT USE WATER TO EXTINGUISH WAX FIRES AS WATER MAY BOIL VIOLENTLY CAUSING EXPLOSIONS.***

**Unusual Hazards:** Containers exposed to intense heat from fires should be cooled with water to prevent vapor pressure buildup that could rupture containers.

---

## 6. ACCIDENTAL RELEASE MEASURES

**Spill Response Procedures:** This material is not expected to present any environmental problems in its semi-solid state. If in liquid form, allow to cool and solidify before proceeding with disposal methods.

**Waste Disposal:** Place contaminated materials in disposable containers and dispose of in a manner consistent with Federal, State and local regulations.

---

## 7. HANDLING AND STORAGE

**Handling:** See Section 8.

**Storage:** Keep package tightly closed and store between 45°F (7°C) and 85°F (30°C).

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Respiratory Protection:** When product is used hot, use appropriate approved protection. Negative pressure respirators must use organic vapor filter elements.

**Ventilation:** Normal use of this product does not require special ventilation. When used hot, local exhaust ventilation bringing vapors away from persons should be used.

**Protective Gloves:** Normal use does not require glove use. When used hot, use chemical impervious gloves.

**Eye Protection:** When product is hot, use chemical goggles or face shield to protect eyes.

**Other Protection:** Suggested use of chemical impervious apron when used hot. Change contaminated clothing immediately, Provide emergency eyewash system. Store in a cool, isolated area. Keep away from ignition sources and heat. Post NO SMOKING signs in work area. Do not reuse containers.

**Work/Hygienic Practices:** Train employees as to the hazards of this product and the contents of this MSDS before they work with this product.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Boiling Point:** 560 F

**Vapor Pressure:** mm Hg @20 C<3

**Vapor Density:** 2.4

**Solubility in Water:** Insoluble

**Appearance & Odor:** White Translucent Semi-solid – Hydrocarbon odor

**Specific Gravity:** 0.85

**Melting Point:** 128°F

---

**10. STABILITY AND REACTIVITY**

**Stable:** Yes

**Conditions to Avoid:** Heat, sparks and open flame

**Incompatibility:** Water. May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

**Hazardous Decomposition:** None known

**Hazardous Polymerization:** Will not occur

**Conditions to Avoid:** Overheating and direct flame contact. Do not heat this product above its flash point. Do not heat this product with open flames or open electrical coils. Acceptable heat sources are heat transfer fluids (steam, hot water, oil) or sealed electrical resistance heaters.

---

**11. TOXICOLOGICAL INFORMATION**

**Carcinogenicity:** ND.

**Acute Eye Irritation:** Expected to be nonirritating.

**Acute Skin Irritation:** May cause slight irritation.

**Acute Respiratory Irritation:** High vapor concentration may result in CNS depression.

**Acute Oral Toxicity:** Ingestion of product may result in vomiting.

**Chronic Toxicity:** ND.

---

**12. ECOLOGICAL INFORMATION**

**Waste Disposal Method:** Dispose of in accordance with federal, state and local regulations.

---

**13. TRANSPORT INFORMATION**

**US Department of Transportation Shipping Name:**

US Department of Transportation	Proper Shipping Name	None
	Hazard Class	None
	ID Number	None
	Packaging Group	None

---

**14. REGULATORY INFORMATION**

Federal Regulations: SARA Title 3 Hazard Classes:

Fire Hazard: NO

Reactive Hazard: NO

Release of Pressure: NO

Acute Health Hazard: NO

Chronic Health Hazard: NO

SARA: None

TSCA: Components of this product are listed on the TSCA inventory.

**Other Regulations:** State  
None

---

## 15. OTHER INFORMATION

### Key Legend Information:

N/A	-	Not Applicable
ND	-	Not Determined
ACGIH-		American Conference of Governmental Industrial Hygienists
OSHA	-	Occupational Safety and Health Administration
TLV	-	Threshold Limit Value
PEL	-	Permissible Exposure Limit
TWA	-	Time Weighted Average
STEL	-	Short Term Exposure Limit
NTP	-	National Toxicology Program
IARC	-	International Agency for Research on Cancer

**The information contained herein is based on the data available to us and is believed to be correct. However, Omega Products International makes no warranty, expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.**